

- 808-180 Elgin Street Ottawa, ON K2P 2K3
- (613) 523-3343
- (800) 463-1158
- **[4]** (613) 523-0190
- www.caep.ca

CAEP Position Statement on Dental Care in Canada Hasan Sheikh MD CCFP(EM)

Executive Summary:

Oral health is an important part of an individual's overall health; however, dental care is not included in the Canadian public health care system. Many Canadians struggle to access dental care, and six million Canadians avoid visiting the dentist each year due to cost(1). The most vulnerable groups include children from low income families, low income adults, seniors, indigenous communities, and those with disabilities(1–5). The lack of affordable, equitable, and accessible dental care puts undue strain on Emergency Departments across the country, as patients desperately seek the care of a physician when they actually need the care of a dental professional(6). Emergency physicians do not have the same expertise or equipment as dentists, and in most cases are only able to provide temporary symptom relief. This results in an increased reliance on prescription opioids that would otherwise be unnecessary if patients could access the dental care they required.

The Canadian Association of Emergency Physicians supports the expansion of **publicly funded** dental care in Canada, starting with the most vulnerable groups including children, low-income adults, and seniors. The Canadian Association of Emergency Physicians also supports the expansion of **publicly delivered** dental care in Canada via Community Health Centres, Aboriginal Health Access Centres, and Public Health Units, given the failures of the private sector model and the preferences of those who currently have the most difficulty accessing care (1,7).

Oral Health and Overall Health

Oral health is a critical component of an individual's overall health. There are a number of associations between poor oral health and poor general health, including cardiovascular disease, diabetes, having a low birth weight infant, erectile dysfunction, osteoporosis, metabolic syndrome, and stroke(8–15). There is increasing evidence, however, that poor oral health can actually **cause** or **worsen** other general medical conditions due to chronic inflammation(16). Treating periodontal disease in diabetics has been shown to improve blood sugar control to a similar degree as adding another oral diabetes medication(17). Providing oral care in long-term care settings has been shown to reduce the risk of developing aspiration pneumonia(18). Periodontal therapy has been shown to reduce patients' cardiovascular risk category(19). Integrated comprehensive oral health care has been shown to increase completion of substance use disorder treatment, increase employment, increase drug abstinence, and reduce homelessness(20). Poor oral health also has a negative impact on a person's self-esteem, social interactions, and employability(21).

Given the important relationship between oral health and overall health, our current dental care system is inconsistent with the principles of the Canada Health Act: "to protect, promote and restore the physical and mental well-being of residents of Canada and to facilitate reasonable access to health services without financial or other barriers."

The History of Dental Care in Canada

Canada began adopting community water fluoridation in the 1950s, around the same time as the genesis of Medicare, Canada's single payer public health care system. This led to a sharp decline in dental caries, and a false reassurance that the solutions to oral health concerns would be non-provider based(1). The 1964 Commission on Health Services did not include dental care in its recommendation of publicly financed services, believing oral health care to be a personal responsibility. At the same time, tax incentives for employers and employees led to an expansion of employment-based dental insurance, which further reduced public investments in times of economic hardship(1). In fact, in the early 1980s, approximately 20 percent of all spending on oral health care was public, compared to approximately 5 percent currently(22). This ranks Canada amongst the lowest in public spending for dental care of all OECD countries, second only to Spain. In fact, public spending on dental care in Canada is less than the United States, where 10 percent of all dental care is publicly financed(23). Furthermore, Canada has been reducing its proportion of public dental expenditures, while the United States and most other OECD countries have been increasing their public share of dental spending(2).

Currently, dental care in Canada is almost entirely funded through the private sector. Approximately 51 percent of dental spending is paid for by employment-based insurance, and 44 percent through direct out-of-pocket payments(22). The remaining 5 percent that is funded publicly is delivered through a patchwork of policies targeting marginalized groups(1). Public per capita spending on dental care is approximately \$24, compared to \$337 on drugs, and \$999 on physician services(24,25).

Consequences for the Individual

The lack of a robust, publicly funded dental care system in Canada has led to significant barriers for many Canadians to access care. Approximately six million Canadians avoid visiting a dentist each year due to the cost(1). The people who experience the most difficulty accessing oral health care are also the ones who experience the highest burden of dental disease, including children, low income adults, seniors, indigenous communities, refugees, people with disabilities, and people living in rural areas(1–5). Overall, approximately 20 percent of people cite cost as a barrier for seeing a dentist(4). Studies show that 42 percent of low income

Canadians avoid seeing a dentist when they need to due to cost, compared to only 15 percent of high income Canadians(2). This is in stark contrast to physician services, where the only 9 percent of low income Canadians and 5 percent of high income Canadians avoid seeing a physician due to cost(2). Despite having higher needs, seniors are 40 percent less likely to have private dental insurance compared to the general population(26). In Canada's largest province, Ontario, 3.5 percent of the population avoids social interactions, including conversation, laughing, and smiling, due to a dental condition; this proportion increases to 8.5 percent amongst those in lower income groups(4).

Consequences for the Emergency Department

People who are suffering with an oral ailment and cannot access affordable, timely dental care often turn to the Emergency Department (ED) in desperation. In fact, approximately 1 percent of all visits to the ED are for dental complaints(6,27). The majority of patients presenting to the ED for dental complaints are low-income adults, and these visits in Ontario alone are estimated to cost the health care system in the range of 16 to 31 million dollars annually(5,28).

Both patients and providers often know that the patient needs to see a dentist, but patients turn to the ED when they have nowhere else to go. Most of these patients receive either no intervention, or pharmacotherapy for temporary symptom relief(6). This is expected, as emergency physicians do not possess the training or equipment to deal with most dental complaints in a definitive way(29). Emergency physicians often end up prescribing antibiotics, anti-inflammatories, or opioids to try and provide some relief — medications that would otherwise be unnecessary if patients could access dental care. Opioids are prescribed in more than 50 percent of non-traumatic dental condition visits to the ED, and emergency physicians are five times more likely to provide an opiate prescription for a dental complaint compared to a dentist(30–32). In the midst of an opioid epidemic, it is important that we take steps to reduce our reliance on these potentially harmful medications. This is particularly true in cases like these, where opioids are not the optimal therapy for the presenting problem.

Organizations Supporting Public Dental Care in Canada

Canadian Association of Public Health Dentistry: "All Canadians should have equitable access to oral health care, regardless of their employment, health, gender, race, marital status, place of residence, age or socioeconomic status." (33)

Canadian Dental Hygienist Association: "It is the position of the CDHA that oral health care—a significant component of overall health—is the right of all Canadians...CDHA promotes access to affordable oral health care through alternative practice settings and by working in cooperation with governments, health agencies, public interest groups, and other health professions." (34)

Canadian Dental Association: "The CDA...recommends the development of a national action plan to reduce the barriers to access to dental care." "Alternative models of care or funding should be explored to alleviate access to care inequities." (35)

Position

The Canadian Association of Emergency Physicians acknowledges that oral health is a critical component of an individual's overall health. The lack of access to dental care in Canada puts unnecessary strain on EDs, increases opiate prescriptions, and, most importantly, fails to address the essential health needs of Canadians.

The Canadian Association of Emergency Physicians believes that every Canadian should have affordable, timely, and equitable access to dental care.

To achieve this end, CAEP advocates for an **increase** in **public spending** on dental care, starting with programs that specifically target the most marginalized populations, including children, seniors, low-income adults, indigenous communities, and people living with disabilities. In addition, CAEP advocates for **expanding public delivery** of these programs through Community Health Centres, Aboriginal Health Access Centres, and Public Health Units, as publicly financing the private dental market would lead to increasing costs and will reduce sustainability of programs. In addition, marginalized groups have expressed a preference for publicly delivered dental care. Given the complexity of many of these patients, the integration of dental professionals with other health services presents an opportunity to provide comprehensive care in an accessible setting that patients are already accessing for other aspects of their care.

Through these actions, we feel we can best uphold the principles set out by the Canada Health Act, "to protect, promote and restore the physical and mental well-being of residents of Canada and to facilitate reasonable access to health services without financial or other barriers."

- Canadian Academy of Health Sciences. Improving Access to Oral Health Care for Vulnerable People Living in Canada [Internet]. Place of publication not identified: publisher not identified; 2014 [cited 2018 Jun 10]. Available from: http://deslibris.ca/ID/243917
- 2. Birch S, Anderson R. Financing and Delivering Oral Health Care: What Can We Learn from Other Countries? J Can Dent Assoc. 2005;71(4):5.
- 3. Locker D, Maggirias J, Quiñonez C. Income, dental insurance coverage, and financial barriers to dental care among Canadian adults. J Public Health Dent. 71(4):327–34.
- 4. Sadeghi L, Manson H, Quiñonez CR. Report on Access to Dental Care and Oral Health Inequalities in Ontario. :26.
- 5. Quiñonez C, Ieraci L, Guttmann A. Potentially Preventable Hospital Use for Dental Conditions: Implications for Expanding Dental Coverage for Low Income Populations. J Health Care Poor Underserved. 2011 Aug 13;22(3):1048–58.
- 6. Quiñonez C, Gibson D, Jokovic A, Locker D. Emergency department visits for dental care of nontraumatic origin. Community Dent Oral Epidemiol. 37(4):366–71.
- 7. Quiñonez C, Figueiredo R, Azarpazhooh A, Locker D. Public preferences for seeking publicly financed dental care and professional preferences for structuring it. Community Dent Oral Epidemiol. 38(2):152–8.
- 8. Blaizot A, Vergnes J-N, Nuwwareh S, Amar J, Sixou M. Periodontal diseases and cardiovascular events: meta-analysis of observational studies. Int Dent J. 59(4):197–209.
- 9. Taylor GW, Borgnakke WS. Periodontal disease: associations with diabetes, glycemic control and complications. Oral Dis. 14(3):191–203.
- 10. Daniel R, Gokulanathan S, Shanmugasundaram N, Lakshmigandhan M, Kavin T. Diabetes and periodontal disease. J Pharm Bioallied Sci. 2012 Aug;4(Suppl 2):S280–2.
- 11. Haerian-Ardakani A, Eslami Z, Rashidi-Meibodi F, Haerian A, Dallalnejad P, Shekari M, et al. Relationship between maternal periodontal disease and low birth weight babies. Iran J Reprod Med. 2013 Aug;11(8):625–30.
- 12. Kellesarian SV, Kellesarian TV, Ros Malignaggi V, Al-Askar M, Ghanem A, Malmstrom H, et al. Association Between Periodontal Disease and Erectile Dysfunction: A Systematic Review. Am J Mens Health. 2018 Mar;12(2):338–46.
- 13. Lin T-H, Lung C-C, Su H-P, Huang J-Y, Ko P-C, Jan S-R, et al. Association Between Periodontal Disease and Osteoporosis by Gender. Medicine (Baltimore) [Internet]. 2015 Feb 20 [cited 2018 Jun 10];94(7). Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4554172/
- 14. Morita T, Ogawa Y, Takada K, Nishinoue N, Sasaki Y, Motohashi M, et al. Association Between Periodontal Disease and Metabolic Syndrome. J Public Health Dent. 69(4):248–53.
- 15. Sfyroeras GS, Roussas N, Saleptsis VG, Argyriou C, Giannoukas AD. Association between periodontal disease and stroke. J Vasc Surg. 2012 Apr;55(4):1178–84.

- 16. Moutsopoulos NM, Madianos PN. Low-grade inflammation in chronic infectious diseases: paradigm of periodontal infections. Ann N Y Acad Sci. 2006 Nov;1088:251–64.
- 17. Simpson TC, Weldon JC, Worthington HV, Needleman I, Wild SH, Moles DR, et al. Treatment of periodontal disease for glycaemic control in people with diabetes mellitus. Cochrane Oral Health Group, editor. Cochrane Database Syst Rev [Internet]. 2015 Nov 6 [cited 2018 Jun 10]; Available from: http://doi.wiley.com/10.1002/14651858.CD004714.pub3
- 18. Yoneyama T, Yoshida M, Ohrui T, Mukaiyama H, Okamoto H, Hoshiba K, et al. Oral Care Reduces Pneumonia in Older Patients in Nursing Homes. J Am Geriatr Soc. 50(3):430–3.
- 19. D'Aiuto F, Ready D, Tonetti MS. Periodontal disease and C-reactive protein-associated cardiovascular risk. J Periodontal Res. 39(4):236–41.
- 20. Hanson GR, McMillan S, Mower K, Bruett CT, Duarte L, Koduri S, et al. Comprehensive oral care improves treatment outcomes in male and female patients with high-severity and chronic substance use disorders. J Am Dent Assoc. 2019 Jul;150(7):591–601.
- 21. Bedos C, Levine A, Brodeur J-M. How People on Social Assistance Perceive, Experience, and Improve Oral Health. J Dent Res. 2009 Jul;88(7):653–7.
- 22. Quiñonez C, Sherret L, Grootendorst P, Shim M, Azarpazhooh A, Locker D. An environmental scan of provincial/territorial dental public health programs [Internet]. 2007 [cited 2018 Jun 14]. Available from: http://www.caphd.ca/sites/default/files/Environmental Scan.pdf
- 23. Devaux M. Income-related inequalities and inequities in health care services utilisation in 18 selected OECD countries. Eur J Health Econ. 2015 Jan;16(1):21–33.
- 24. Canadian Dental Association. The State of Oral Health in Canada [Internet]. 2017 Mar [cited 2018 Jul 10]. Available from: https://www.cda-adc.ca/stateoforalhealth/ files/TheStateofOralHealthinCanada.pdf
- 25. Canadian Institute for Health Information. National Health Expenditure Trends, 1975 to 2017 [Internet]. 2017. Available from: https://www.cihi.ca/sites/default/files/document/nhex2017-trends-report-en.pdf
- 26. Canadian Dental Hygienists Association. Dental Hygienists Call for Federal Leadership to Support Taxpayers and Improve Oral Care Outcomes [Internet]. 2015 [cited 2018 Jun 10]. Available from: https://www.cdha.ca/pdfs/NewsEvents/tag/2015/CDHA federal election 2015.pdf
- 27. Brondani M, Ahmad SH. The 1% of emergency room visits for non-traumatic dental conditions in British Columbia: Misconceptions about the numbers. Can J Public Health. 2017 Sep 14;108(3):279.
- 28. Ontario Oral Health Alliance. Information on ER and DR visits for dental problems Jan 2017.docx [Internet]. 2017 Jan. Available from: https://www.aohc.org/sites/default/files/documents/Information%20on%20ER%20and%20DR%20visits %20for%20dental%20problems%20-%20Jan%202017.docx
- 29. Sheikh H. Prescription from ER doctor: expand public dental programs. Toronto Star [Internet]. 2017 Feb 21 [cited 2018 Jun 14]; Available from: https://www.thestar.com/opinion/commentary/2017/02/21/prescription-from-er-doctor-expand-public-dental-programs.html

- 30. Okunseri C, Okunseri E, Xiang Q, Thorpe JM, Szabo A. Prescription of opioid and nonopioid analgesics for dental care in emergency departments: Findings from the National Hospital Ambulatory Medical Care Survey: Opioids analgesic and dental care. J Public Health Dent. 2014 Sep;74(4):283–92.
- 31. Okunseri C, Dionne RA, Gordon SM, Okunseri E, Szabo A. Prescription of opioid analgesics for nontraumatic dental conditions in emergency departments. Drug Alcohol Depend. 2015 Nov;156:261–6.
- 32. Janakiram C, Chalmers NI, Fontelo P, Huser V, Lopez Mitnik G, Iafolla TJ, et al. Sex and race or ethnicity disparities in opioid prescriptions for dental diagnoses among patients receiving Medicaid. J Am Dent Assoc. 2018 Apr;149(4):246–55.
- 33. Canadian Association of Public Health Dentistry Position Development Committee. A brief analysis of position statements on oral health and access to care [Internet]. 2006 Jul [cited 2018 Jun 14]. Available from: http://www.caphd.ca/sites/default/files/pdf/caphd-access-position-statement.pdf
- 34. Canadian Dental Hygienists Association. Access Angst: A CDHA Position Paper on Access to Oral Health Services [Internet]. 2003 Mar [cited 2018 Jun 14]. Available from: https://www.cdha.ca/pdfs/Profession/Resources/position_paper_access_angst.pdf
- 35. Canadian Dental Association. Position Paper on Access to Oral Health Care for Canadians [Internet]. 2010 May [cited 2018 Jun 10]. Available from: https://www.cda-adc.ca/ files/position statements/accessToCarePaper.pdf